

INDEX MAPS.

T. 9N, R. 1E. 2nd Mer.

	245	245-246	245-246	245-246	245-246	244-246						
249	6	240	5	264	4	261	3	267	2	253	1	271
	269	269	264	260	256	252						271
248	7	269	8	264	9	260	10	256	11	252	12	
	268	268	263	260	256	252						244
248	18	268	17	263	16	259	15	255	14	251	13	244
	267	267	263	259	255	251						
248	19	267	20	263	21	258	22	255	23	250	24	243
	266	266	262	258	254	250						
247	30	266	29	262	28	258	27	254	26	250	25	243
	266	265	262	257	263	249						
247	31	265	32	261	33	257	34	263	35	249	36	242
	242	242	241	241	241	241						

T. 10N, R. 1E. 2nd Mer.

	278	278	278	277-279	277-279	277-279						
281	6	307	5	301	4	296	3	291	2	286	1	277
	306	306	300	295	291	286						
281	7	306	8	300	9	295	10	290	11	285	12	276
	305	305	299	295	290	285						
280	18	304	17	299	16	294	15	289	14	284	13	276
	304	304	299	294	289	284						
280	19	303	20	298	21	293	22	288	23	283	24	276
	303	303	298	293	288	283						
280	30	302	29	297	28	293	27	287	26	282	25	275
	302	301	297	292	287	282						
279	31	301	32	296	33	292	34	286	35	282	36	275
	274	273-274	273-274	273-274	273-274	273-275	273-275					

☞ The figures on the lines refer to the page.

273

Township N. 10 North, Range N. 1 East T. Mer. Indiana

South Boundary

West On Random between Towns 9 & 10 N. R 1 E. T. Mer.
Sec. 1 & 36.

30.00 a Brook 7 hrs. wide C. & N.

40.00 Set temp. of Sec. post

80.00 Set temp. Sec. post for Sec. 35 & 36, T 10 N. R 1 E.
Over level Beech land

West On Random betw. Towns 9 & 10 N. R 1 E. T. Mer.
Sec. 2 & 35.

11.65 a Brook 10 hrs. wide C. & N.

40.00 Set temp. of Sec. post

80.00 Set temp. Sec. post for Sec. 34 & 35, T 10 N. R 1 E.
over rolling land timber Oak, Beech, &c.

West On Random between Towns 9 & 10 N. R 1 E. T. Mer.
Sections 3 & 34.

13.80 a Brook 15 hrs. wide C. & N.

40.00 Set temp. of Sec. post

80.00 Set temp. Sec. post for Sec. 33 & 34, T 10 N. R 1 E.
over Broken land timber Beech & Oak

West On Random between Towns 9 & 10, T 10 N. R 1 E.
Sections 4 and 33,

40.00 Set temp. of Sec. post

80.00 Set temp. Sec. post, for Sec. 32 & 33, T 10 N. R 1 E.
over Broken land timber Oak & Poplar.

West On Random betw. Towns 9 & 10, T 10 N. R 1 E.
Sections 5 and 32.

40.00 Set temp. of Sec. post

80.00 Set temp. Sec. post, for Sec. 31 & 32, T 10 N. R 1 E.
Over Broken land, timber Oak & Hickory.

T10 N. R1 E. 2^d Mer. Indiana

West On Rand^m between Towns 9 & 10 N. R1 E. 2^d Mer
Sections 6 and 31

39.28 Intersected the 2^d Meridian 520 Yds. N. of the Cor.
of Towns 9 & 10 N. Ranges 1 E & 1 W,
over broken land timber, Oak, Beech &c.

East On true line betwⁿ Towns 9 & 10 N. R1 E.

39.28 Set a post Cor. Secs. 31 & 32, T10 N. R1 E. from which
a Beech 13 in. dia. bears S 25^o W 10 Yds. dist. of
a do 10 " " " N 32^o W 24 " "

East On S. boundary of Sec. 32, T10 N. R1 E. 2^d Mer.

40.00 Set the q. Sec. post on true line, from which
a Beech 10 in dia. bears S 69^o E 18 Yds. dist. of
a do 10 " " " N 42^o W 24 " "

80.00 Set a post Cor. to Secs. 32 & 33, T10 N. R1 E. 2^d Mer. from
which a Hickory 20 in dia. bears N 44^o W 16 Yds. dist. of
a Walnut 12 " " " S 59^o E 29 " "

East On S. boundary of Sec. 33, T10 N. R1 E. 2^d Mer.

40.00 Set the q. Sec. post on true line from which
a Beech 24 in dia. bears N 10^o E 23 Yds. dist. of
a Sassafras 8 " " " N 5^o W 9 " "

80.00 Set a post Cor. to Secs. 33 & 34, T10 N. R1 E. from which
a Poplar 18 in dia. bears S 77^o E 24 Yds. dist. of
a Dogwood " " " N 44^o W 13 " "

East On S. boundary of Sec. 34, T10 N. R1 E. 2^d Mer.

40.00 Set the q. Sec. post on true line from which
a Gum 12 in dia. bears N 71^o E 4 Yds. dist. of
a Beech 8 " " " South 13 " "

80.00 Set a post Cor. to Secs. 34 & 35, T10 N. R1 E. from which
a Beech 13 in dia. bears S 63^o E 20 Yds. dist. of

T10 N. R1 E. 2^d. Mer. Indiana

a Beech 8 in. dia. bears N 81° W 22 lks. dist. of

East On S. boundary of Sec. 35, T10 N. R1 E. 2^d. Mer.

40.00 At the q. Sec. post on true line from which
a Beech 30 in. dia. bears N 63° E 33 lks. dist. of
a Cherry 9 " " " N 64° W 9 " "

80.00 Set a post Cor. to Sec. 35 & 36, T10 N. R1 E. from which
a Beech 8 in. dia. bears S 65° E 20 lks. dist. of
a Do 30 " " " S 71° W 6 " "

East On S. boundary of Sec. 36, T10 N. R1 E.

40.00 At the q. Sec. post on true line from which
a Gum 24 in. dia. bears N 82° E 13 lks. dist. of
a Beech 10 " " " S 33° W 17 " "

80.00 Intersected the Town Corner

East Boundary var. 6° 45' E.

North On E. boundary of Sec. 36, T10 N. R1 E.

14.50 a Beech 14 in. dia.

30.50 a Brook 100 lks. wide C. P. W.

40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bears S 30° W 19 lks. dist. of
a Do 10 " " " N 1° W 24 " "

58.50 a W. Oak 18 " "

80.00 Set a post Cor. to Sec. 25 & 36, from which
a Beech 12 in. dia. bears S 29° E 28 lks. dist. of
a Hickory 10 " " " S 75° W 4 " "
over level Beech land.

North On E. boundary of Sec. 25, T10 N. R1 E. 2^d. Mer.

6.50 a Poplar 40 in. dia. in the line

40.00 At the q. Sec. post, from which
a Beech 13 in. dia. bears N 44° W 5 lks. dist. of

T10 N. R1 E. 2^d. Mer. Indiana

- a Dogwood 7 mi. dist. bears S25 E. 22 krs. dist.
 57.12 a Beech 18 " "
 80.00 Set a post Cor. to Sec. 24 & 25, T10 N. R1 E. from which
 a Gum 22 mi. dist. bears S37 E 8 krs. dist. &
 a Beech 14 " " " N11 E 19 " "
 Over rolling land, timber Oak & Beech &c.
-

North On E. boundary of Sec. 24, T10 N. R1 E.

- 15.00 a Brook 8 krs. wide C. S. E.
 28.00 a Beech 14 mi. dist.
 40.00 At the qt. Sec. post, from which
 a Beech 14 mi. dist. bears S8 E 18 krs. dist. &
 a Walnut 12 " " " N33 E 37 " "
 60.00 a Brook 10 krs. wide C. S. E.
 62.05 a Beech 14 mi. dist.
 80.00 Set a post Cor. to Sec. 13 & 24, T10 N. R1 E. from which
 a Beech 18 mi. dist. bears N42 W 18 krs. dist. &
 a Poplar 36 " " " S41 W 17 " "
 Over broken land, timber Oak & Beech
-

North On E. boundary of Sec. 13, T10 N. R1 E.

- 40.00 At the qt. Sec. post, from which
 a Gum 14 mi. dist. bears N1 E 28 krs. dist.
 61.50 a Brook 8 krs. wide C. S. E.
 80.00 Set a post Cor. to Sec. 13 & 12, T10 N. R1 E. from which
 an Oak 13 mi. dist. bears N8 W 11 krs. dist. &
 a Ho 7 " " " S54 W 6 " "
 Over brushy broken land timber Oak &c.
-

North On E. boundary of Sec. 12, T10 N. R1 E. 2^d. Mer.

- 23.00 a Brook 5 krs. wide C. S. E.
 40.00 At the qt. Sec. post, from which
 a W. Oak 18 mi. dist. bears N19 E 14 krs. dist. &

T10 N. R1 E. 2^d. Mer. Indiana

a Dogwood 6 mi. dist. bears S 82° W 6 lks. dist &
 80.00 Set a post Cor. to Sec. 1 & 12, T10 N. R1 E. from which
 a W. Oak 8 mi. dist. bears N 14° W 3 lks. dist &
 a Do 6 " " " S 46° W 12 " "
 Over broken brushy land, timber Oak &c.

North On E. boundary of Sec. 1, T10 N. R1 E.

25.50 a W. Oak 40 mi. dist.

40.00 Set the q. Sec. post. from which
 a W. Oak 24 mi. dist. bears S 35° W. 64 lks. dist.
 and no more timber convenient.

52.38 a W. Oak 40 mi. dist.

85.00 Set a post Cor. to Town 10 & 11 N. Ranges 1 & 2 E.
 from which a Beech 10 mi. dist. bears N 68° W 10 lks. dist &
 a Sugar 10 " " " S 81° E 18 " "
 Over broken land, timber Oak. June 24th 1819

North Boundary var. 6° 30' E

West 1st mile ^{on Randm.} between Towns 10 & 11 N. R1 E. 2^d. Mer.

40.00 Set temp. q. Sec. post

80.00 Set temp. Sec. post for Sec. 35 & 36, T11 N. R1 E.
 over broken land timber Oak &c.

West 1st mile on Randm. betw. Towns 10 & 11 N. R1 E.

39.50 a Beech 50 lks. and S. E.

40.00 Set temp. q. Sec. post

80.00 Set temp. Sec. post, for Sec. 34 & 35, T11 N. R1 E.
 Over Broken land timber Oak & Beech

West 3rd mile on Randm. betw. Towns 10 & 11 N. R1 E.

40.00 Set temp. q. Sec. post

80.00 Set temp. Sec. post for Sec. 33 & 34, T11 N. R1 E.
 Land timber &c. same as on the last mile

T10 N. R1 E. 2^d. Mer. Indiana

West 4th Mile On Random betwⁿ. Towns 10 & 11 N. R1 E.
 40.00 Set temp^y. of Sec. post
 80.00 Set temp^y. Sec. post for Sec. 32 & 33, T10 N. R1 E.
 Land timber &c same as on the last mile

West 5th Mile On Rand.^m betwⁿ. Towns 10 & 11 N. R1 E.
 40.00 Set temp^y. of Sec. post
 80.00 Set temp^y. Sec. post for Sec. 31 & 32, T10 N. R1 E.
 Over broken land timber Oak &c.

West 6th Mile On Random betwⁿ. Towns 10 & 11 N. R1 E.
 37.50 Intersected the 2^d. Meridian 700 yds. N. of the
 Corner to Towns 10 & 11 N. on said line

Variation 7^o 30' E.

East On true line S. boundary of Sec. 31, T10 N. R1 E.
 37.50 Set a post Cor. to Sec. 31 & 32, T10 N. R1 E. from which
 a W. Oak 20 in. dia. bears S 40 E. 17 yds. dist. &
 a do 12 " " " S 73 W 5 " "

East On true line S. boundy. of Sec. 32, T10 N. R1 E.
 40.00 Set the of. Sec. post on true line from which
 a Maple 8 in. dia. bears N 11 W 20 yds. dist. &
 a W. Oak 20 " " " S 87 E 26 " "
 80.00 Set a post Cor. to Sec. 32 & 33, T10 N. R1 E. from which
 a Beech 11 in. dia. bears N 25 W 8 yds. dist. &
 a W. Oak 18 " " " S 4 E 10 " "

East on true line, S. boundy. of Sec. 33, T10 N. R1 E.
 40.00 Set of. Sec. post on true line, from which
 a _____ 12 in. dia. bears N 60 E 17 yds. dist. &
 a W. Oak 12 " " " S 12 W 11 " "
 80.00 Set a post Cor. to Sec. 33 & 34, T10 N. R1 E. from which

T11N. R1E. 2^d Mer. Indiana

a Beech 20 mi. dist. bears S 59 E 36 lbs. dist. of
 a Sugar 9 " " " N 79 W 11 " "

East on true line S. boundary of Sec. 34, T11N. R1E.

40.00 Set the q. Sec. post, on true line, from which
 a Sugar 12 mi. dist. bears S 73 E 35 lbs. dist. of
 a Beech 10 " " " N 41 E 35 " "

80.00 Set a post Cor. to Sec. 34 & 35, T11N. R1E. from which
 a W. Oak 9 mi. dist. bears N 81 E 10 lbs. dist. of
 a Do 6 " " " N 61 W 6 " "

East on true line S. boundary of Sec. 35, T11N. R1E.

40.00 Set q. Sec. post on true line, from which
 a Sugar 10 mi. dist. bears N 42 E 18 lbs. dist. of
 a Do 10 " " " S 12 E 17 " "

80.00 Set a post Cor. to Sec. 35 & 36, T11N. R1E. from which
 a P. Oak 24 mi. dist. bears S 87 E 33 lbs. dist. of
 a W. Oak 10 " " " N 83 W 28 " "

East on true line S. boundary of Sec. 36, T11N. R1E

40.00 Set the q. Sec. post, from which
 a Poplar 12 mi. dist. bears S 44 E 11 lbs. dist. of
 a Beech 9 " " " N 36 W 9 " "

80.00 Intersected the Cor. of Town 10 & 11 N, Range
 16 E. July 1st 1814
 Surveyed by John McDonald, D. S.

West Boundary or 2^d Principal Meridian
 variation 6th 30' E.

North On E. boundary of Sec. 36, T11N. R1W

40.00 a Set the q. Sec. post, from which
 a Sycamore 30 mi. dist. bears South 90 lbs. dist. of
 a Hickory. 7 " " " S 48 W 42 " "

W. A. R. C. D. Mer. Indiana

41.00 a Brook 20 lbs. wide C. W.
 67.00 enter a Swamp
 80.00 At a post Cor. to Sec. 25 & 36, T10 N. R1 W. from which
 a Maple 8 in. dia. bears S44°W 10 lbs. dia. &
 a Do 10 " " " N12°W 5 " "
 Sand part broken off part Swamp D. Rate Soil
 May 20th 1819

North On E. boundary of Sec. 25, T10 N. R1 W.
 5.00 leave the Swamp
 39.00 a Creek 10 lbs. wide C. W.
 40.00 At the q. Sec. post from which
 a Sycamore 18 in. dia. bears N19°W 32 lbs. dia. &
 80.00 At a post Cor. to Sec. 24 & 25, T10 N. R1 W. from which
 a Sugar 12 in. dia. bears S43°W 32 lbs. dia. &
 a Beech 6 " " " N23°E 16 " "
 Sand mostly level of post rather Swampy

North On E. boundary of Sec. 24, T10 N. R1 W.
 40.00 At the q. Sec. post, from which
 a Beech 8 in. dia. bears S56°E 16 lbs. dia. &
 a Buckeye 12 " " " S63°W 2 " "
 45.00 a Brook 10 lbs. wide C. E.
 52.50 a Do 10 " " " S. E.
 60.00 a Do 10 " " " S. W.
 80.00 At a post Cor. to Sec. 13 & 24, T10 N. R1 W. from which
 a Beech 12 in. dia. bears S50°W 12 lbs. dia. &
 a Do 10 " " " S63°E 6 " "
 Sand part level of post broken timber generally
 Beech, Sugar, Ash, Poplar, Walnut &c

North On East boundary of Sec. 13, T10 N. R1 W.
 20.00 a Brook 5 lbs. wide C. S. E.

W. N. P. E. 2nd Mer. Indiana

- 40.00 Set the q. Sec. post, from which
 a Beech 14 in. dia. bears S 38 E 11/2 hrs. dist of
 a Do 9 " " " N 79 W 14 " "
- 80.00 Set a post Cor. to Sec. 12 of 13, T10 N. R. 1 W., from which
 a Beech 12 in. dia. bears S 35 W 15 hrs. dist of
 a W. Ash 30 " " " N 83 E 9 " "
- S. 1/2 of this mile rather broken ground 2nd rate
 Soil timber Same. N. 1/2 rich land all middling
 good farming land

- North On E. boundy. of Sec. 12, T10 N. R. 1 W.
- 40.00 Set the q. Sec. post, from which
 a Beech 12 in. dia. bears S 80 E 14 hrs. dist of
 a Do 24 " " " S 71 W 21 " "
- 45.00 a Brook 8 hrs. wide C. S. W
- 80.00 Set a post Cor. to Sec. 16 of 17, T10 N. R. 1 W., from which
 a Beech 18 in. dia. bears N 19 E 17 hrs. dist
 a Sugar 14 " " " N 4 E 59 " "
- Land rather broken, good soil. Beech, Sugar
 ash, Poplar, Oak, middling good farming land.

- North On E. boundary of Sec. 1, T10 N. R. 1 W.
- 38.00 a Brook 6 hrs. wide C. S. W.
- 40.00 Set of Sec. post from which
 a Hackberry 18 in. dia. bears N 54 E 34 hrs. dist of
 a Walnut 6 " " " S 15 E 40 " "
- 45.00 a Creek 30 hrs. wide C. S. West
- 80.00 Set a post Cor. to Town 10 of 11 N. Range 1 E of
 W. from which
 a Beech 9 in. dia. bears S 25 W. 10 hrs. dist of
 a Do 12 " " " N 3 E 31 " "
- S. 1/2 very broken & hilly - N. 1/2 middling good farming
 land, timber Same. Survey^d by Wm. Harris D.D.

T10 N R1 E 2nd. Mer. Indiana

Subdivision var. 5.55' E
 North Between Secs. 35 & 36, T10 N. R1 E. 2nd. Mer.
 10.05 a Brook 15 lbs. wide C. S. W.
 15.00 a Angor 16 in. dia.
 16.75 a Stream 15 lbs. wide C. S. W.
 28.65 a Beech 14 in. dia.
 40.00 at the q. Sec. post, from which
 a Beech 14 in. dia. bears N 62 E 19 lbs. dia. &
 a do 6 " " " N 54 W 17 " "
 47.22 a Poplar 24 " "
 60.32 a Beech 20 " "
 80.00 at a post Cor. to Secs. 25, 26, 35 & 36, from which
 a Beech 15 in. dia. bears N 48 E 14 lbs. dia. &
 a B. Gum 12 " " " N 85 W 8 " "
 Broken 2nd rate land, Beech, Poplar, Angor, ash
 undergth, Spruce, Ironw^d, dogw^d &c.

East On Random betwⁿ. Secs. 25 & 36, T10 N. R1 E.
 13.75 a Brook 15 lbs. wide C. S. W.
 40.00 at temp^y. q. Sec. post
 44.10 a Stream 20 lbs. wide C. S. W. S. W.
 80.42 intersected the E. boundary 33 lbs. S. of Corner.
 Land timber &c. Same as on the last mile

West On true line between Secs. 25 & 36, T10 N. R1 E.
 23.18 a Hickory 18 in. dia. on true line
 40.21 at the q. Sec. post, from which
 a Beech 22 in. dia. bears 122 W 16 lbs. dia. &
 a do 10 " " " N 10 E 35 " "
 58.64 a Beech 17 " "
 80.42 to Section Corner. Aug. 24th. 1819.

North Between Secs. 25 & 26, T10 N. R1 E. 2nd. Mer.

T10 N. R1E. 2^d Mer. Indiana

- 5.00 enter a windfall
 25.00 leave the windfall
 26.50 a Beech 20 in. diam. in the line
 40.00 At the q. Sec. post, from which
 an Elm 4 in diam. bears N 25° W 20 lbs. dist. of
 a Hickory 5 " " " N 28° E 22 " "
 60.12 a Beech 14 " "
 80.00 Set a post cor. to Sec. 23, 24, 25, 26, from which
 a Chestnut Oak 11 in. diam. bears N 72° E 10 lbs. dist. of
 a Hickory 4 " " " N 48° W 19 " "
 Broken 3rd notch and, W. Oak, Beech, Hickory
 Chestnut Oak &c. undg^d. Ironw. Dogw. Hickory &
 Hackberry hickory &c &c.

- East On Random between Sec. 24 & 25, T10 N. R1E
 37.50 a Stream 12 lbs. wide C. S. S. E.
 40.00 At temp^t. of Sec. post
 80.50 Intersected the E. boundy. 12 lbs. N. of post
 Sand timber &c. Same as on the last mile

- West On true line between Sec. 24 & 25, T10 N. R1E.
 20.50 a Beech 14 in. diam. on true line
 40.25 At q. Sec. post at adj. dist. on true line from which
 a Sugar 12 in diam. bears N 31° W 33 lbs. dist. of
 a Beech 20 " " " S 57° W 52 " "
 59.80 a Hickory 14 " " on true line
 80.50 Sec. Corner

- North Between Sec. 23 & 24, T10 N. R1E. 2^d Mer.
 20.77 a W. Oak 17 in. diam. in the line
 30.87 a Poplar 16 " " " "
 40.00 A Beech 24 in. diam. Cor. for q. Sec. from which
 a Beech 11 " " bears S 57° E 14 lbs. dist. of

West R1E2^d Mer. Indiana

a Dogwood 4 mi. dist. bears N13^oW16^o lbs. dist. of
 75.10 a Beech 18 " "
 80.00 Set a post Cor. to Secs. 13, 14, 23 & 24 from which
 a Dogwood 5 mi. dist. bears N51^oE9^o lbs. dist. of
 a Hickory 3 " " " S32^oW16^o " "
 Broken 3rd rate land, W. Oak, B. Oak, Beech, Hickory
 Chestnut Oak &c. includingth W. Hickory, Hackberry &c.

East Out Random betwⁿ. Secs. 13 & 24, T10N, R1E.
 34.10 a Stream 10 lbs. wide Cr. S. S. W.
 40.00 Set a post of Sec. post
 80.88 Intersected the E. boundary 73 lbs. S. of post.
 Land timber &c. same as on the last mile

West On true line between Secs. 13 & 24, T10N, R1E.
 22.64 a Chestnut 16 mi. dist. on true line
 40.44 Set of Sec. post on true line at adj. dist. from which
 a Sp. Oak 6 mi. dist. bears N45^oE18^o lbs. dist. of
 a Dogwood 4 " " " S65^oW25^o " "
 62.75 a Chestnut 19 " " on true
 80.88 to Sec. Cor.

North Between Secs. 13 & 14, T10N, R1E2^d Mer.
 22.08 a W. Oak 30 mi. dist. in the line
 40.00 Set the of Sec. post, from which
 a W. Oak 24 mi. dist. bears N44^oW10^o lbs. dist. of
 a Hick. 5 " " " S67^oE24^o " "
 64.00 a Brook 11 lbs. wide Cr. S. W.
 68.42 a Chestnut Oak 14 mi. dist.
 72.48 a Brook 10 lbs. wide Cr. S. W.
 80.00 Set a post Cor. to Secs. 11, 12, 13 & 14, from which
 a W. Oak 26 mi. dist. bears N61^oW85^o lbs. dist. of
 a Dogwood 3 " " " S32^oE12^o " "

T10 N. R1 E. 2nd. Mer. Indiana

Broken 3rd. rate land, W. Sp. of Ch^{est}. Oak, Hick^{ory}. undg.
B. Hick^{ory}, Cogon^o, Sassafras, Hackberry trees &c.
Aug. 25th. 1819

East Out Random between Sec. 12 & 13, T10 N. R1 E
40.00 Set the of. Sec post temp^{ly}.
62.23 a stream 12 lbs. wide C. S. E.
80.48 Intersected the E. boundary 120 lbs. S. of post
Broken 3rd. rate land W. Sp. of Chestnut Oak, Hickory
B. Gum &c. undgth. Hick^{ory}. Sassafras, Hackberry, birch &c.

West out true line between Sec. 12 & 13, T10 N. R1 E.
23.80 a Beech 25 mⁱ. diam. on true line
40.24 Set of. Sec. post, at cor. dist. on true line, from which
a B. Gum 16 mⁱ. diam. bears S 31 W 20 lbs. dist of
a do 4 " " " S 34 E 15 " "
57.78 a W. Oak 12 " " on true line
80.48 to Sec. Corner.

North Between Sec. 11 & 12, T10 N. R1 E. 2nd. Mer.
17.50 a B. Gum 10 mⁱ. diam. in the line
40.00 Set the of. Sec. post, from which
a Sugar tree 6 mⁱ. diam. bears N 52 E 19 lbs. dist of
a do 5 " " " S 31 W 14 " "
60.54 a Chestnut Oak 18 mⁱ. diam. in the line
70.25 a Brook 10 lbs. wide C. S. N. W.
80.00 Set a post Cor. to Sec. 1, 2, 11, 12, from which
a Beech 4 mⁱ. diam. bears N 29 W 22 lbs. dist of
a do 25 " " " S 23 W 44 " "
first 60.00 broken 3rd. rate 20.00 level 2nd. rate.
W. Oak, Hickory, Beech, ash, Sugar tree &c. undgth.
Hick^{ory}. Hack^{berry}. Birch, Spruce &c.

T10 N. R1 E. 2nd Mer. Indiana

East On Random between Sec. 1 & 2, T10 N. R1 E.

- 24.50 a Brook 8 lbs. wide C. N. S. W.
 40.00 Let limpy. of Sec. post
 80.56 Intersected the E. boundary 78 lbs. N. of post.
 Broken 3rd rate land, C. N. S. Oak, Hickory &c
 undergrowth. Dogwood. Ironwood. Huckleberry &c.

West On true line between Sec. 1 & 2, T10 N. R1 E.

- 18.23 a Hickory 14 m. diam. on true line
 40.28 Let the of. Sec. post at av. dist. on true line, from which
 a W. Oak 18 m. diam. bears S 74° W 18 lbs. dist. of
 a Hickory 10 " " " N 44 E 14 " "
 60.78 a Sp. Oak 18 " " on true line
 80.56 to Sec. Corner.

North Between Sec. 1 & 2, T10 N. R1 E. 2nd Mer.

- 19.50 a W. Oak 25 m. diam.
 40.00 Let the of. Sec. post, from which
 a Sp. Oak 28 m. diam. bears N 60° W 18 lbs. dist. of
 a Sugar tree 18 " " " S 50 E 12 " "
 64.04 a Sp. Oak 6 " "
 84.44 Intersected the N. boundary 65 lbs. N. of post and
 let a post Cor. to Sec. 1 & 2, from which
 a W. Oak 14 m. diam. bears S 52° W 28 lbs. dist. of
 a Hickory 10 " " " S 23 E 21 " "
 Broken 4th rate land, W. Oak, Chestnut Oak, Hick-
 ory &c. undergrowth. Sassafras. B. Hickory, Huckleberry
 Greenbrier &c. Aug. 26. 1819

North Between Sec. 34 & 35, T10 N. R1 E.

- 16.75 a W. Oak 20 m. diam.
 32.40 a Hickory 30 " "
 37.48 a Stream 50 lbs. wide C. N. S. W.

T10 N - R1 E 2nd Mer. Indiana

- 40.00 Set the q. Sec. post, from which
 a Hickory 3 in. dia., bears N 39th W 4th lbs. dist. &
 a Buckeye 16 " " " S 33 E 15 " "
- 59.00 enter a windfall
- 72.40 leave windfall - a P. Gum stump 18 in. dia.
- 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a Dogwood 4 in. dia. bears N 11 E. 13 lbs. dist. &
 a Sugar tree 10 " " " N 47th W 21 " " "
- 1st 1/2 mile level 2nd rate - last 1/2 mile broken 3rd rate
 land; Sugar tree, Hickory, Walnut, Buckeye, Beech
 Sp. Oak, W. Oak &c. undgth Spruce, Hazel, Ironwood,
 Dogwood, Pines &c.

East On Random between Sec. 26 & 35, T10 N, R1 E.

- 20.00 enter a windfall
- 40.00 Set stump 4. q. Sec. post
- 74.00 leave the windfall
- 81.87 Intersected the N & S. line 44 lbs. N of the post.
 Broken 4th rate land, Sp. W. Oak, Beech, &c.
 undgth briars, Grape vines &c.

West On true line, between Sec. 26 & 35, T10 N, R1 E.

- 7.10 a Beech 14 in. dia., on the true line
- 40.93 Set q. Sec. post at av. dist. on true line, at which
 place raised a pile of stones in windfall
- 58.67 a Beech 17 in. dia. on true line
- 81.87 to Sec. Corner.

North Between Sec. 26 & 27, T10 N, R1 E.

- 21.74 a Sugar tree 20 in. dia.
- 40.00 Set the q. Sec. post, from which
 a W. Oak 19 in. dia., bears N 52th W 28 lbs. dist. &
 a Do 14 " " " S 53 E 21 " "

T10 N. R1 E. 2^d. Mer. Indiana

- 52.10 a stream 15 lbs wide C.S.S.W.
 62.22 a Beech 18 in. dia.
 80.00 Set a post Cor to Sec^s. 22, 23, 26 & 27. from which
 a W. Oak 5 in. dia. bears N 32 E 10 lbs. dist. of
 a do 19 " " " N 57 W 8 " "
 Broken 3^d rate land, W. W. H. Oak, Hickory
 Sugar tree, yellowingth, B. Hickory, W. Oak, Ironwood
 Dogwood, Greenbrier, &c.

- East On Random between Sec^s. 23 & 26, T10 N. R1 E.
 40.00 Set temp^y. of Sec. post
 58.12 a Stream 10 lbs wide C.S. W.S.W.
 81.24 Intersected E. boundary 38 lbs. N. of the post.
 Broken 3^d rate land, W. W. H. Oak, Hickory
 yellowingth. Dogwood, Hickory, Sassafras, birch &
 Buckleberry &c.

- West On true line between Sec^s. 23 & 26, T10 N. R1 E.
 24.36 a W. Oak 14 in. dia. on true line
 40.62 Set of Sec. post, at av^g. dist. on true line, from which
 a Poplar 6 in. dia. bears N 51 E 8 lbs. dist. of
 a Sassafras 4 " " " N 72 W 22 " "
 63.18 a Hickory 22 " " on true line
 81.24 to Sec. Corner Aug. 27th. 1819

- North Between Sec^s. 22 & 23, T10 N. R1 E. 2^d. Mer.
 21.25 a Beech 18 in. dia.
 40.00 Set the of Sec. post, from which
 a Dogwood 5 in. dia. bears N 45 E 6 lbs. dist. of
 an Ironwood 4 " " " N 42 W 18 " "
 59⁴⁵
 79.25 a Stream 15 lbs wide C.S. S.S.W.
 60.37 a Walnut 5 in. dia.
 64.32 the same Stream S.S.E.

T10 N. R1 E. 2ⁿ. Mer. Indiana

- 67.40 a Stream 15 lbs. wide W. S. W.
- 80.00 an Elm 13 mi. dist. low W. Bank of Said Stream
Cor. to Sec. 14, 15, 22 & 23, from which
a Angartree 7 mi. dist. bears N 73 W 54 lbs. dist. of
an Elm 14 " " " S 97 W 6 " "
Proven 2ⁿ & 3ⁿ rate land W. Oak, P. Oak, beech,
Walnut, Sugar, Sycamore &c. indgth Spruce &c.

East On Random between Sec. 14 & 23, T10 N. R1 E

- 00.20 W. Brook 10 lbs. wide W. S. W.
- 40.00 Let temp. of Sec. post
- 80.95 Intersected the N & S line 1.18 lbs. N. of the post
Part level 2ⁿ rate Part broken 3ⁿ rate land, W. Oak
P. Oak, P. Gum, Chestnut Oak, Beech, Ash, Angartree
&c. indgth Dogwood, Hickory, Bassapar, Spruce &c.

West On true line between Sec. 14 & 23, T10 N. R1 E.

- 16.90 a P. Gum 14 mi. dist. on true line
- 40.47 Let of Sec. post at w. j. dist. on true line, from which
a Beech 7 mi. dist. bears N 20 E. 17 lbs. dist. of
a Do 14 " " " S 10 W 12 " "
- 50.85 a Beech 18 " " on true line
- 80.95 to Sec. Corner

North Between Sec. 14 & 15, T10 N. R1 E. 2ⁿ. Mer.

- 1.50 a Stream 10 lbs. wide W. S. E.
- 24.75 a Hickory 16 mi. dist.
- 40.00 Let the of Sec. post, from which
a W. Oak 5 mi. dist. bears N 35 E 16 lbs. dist. of
a Sp. Oak 12 " " " N 50 W 32 " "
- 64.57 a W. Oak 30 " "
- 80.00 Let a post Cor. to Sec. 10, 11, 14 & 15, from which
a Poplar 8 mi. dist. bears N 45 E 14 lbs. dist. of

T10 N. R1 E. 2^d Mer. Indiana

a Beech 30 in. dia. bears S6^W 27^W 1/4 m. dist. of
 Broken 2^d & 3^d rate land, Beech, W. Oak, B.
 Oak, Hickory, Angstrom Ash & underth Dogwood?
 Ironw. Hazel, Greenbrier &c. Aug. 28. 1819

East On Random between Sec. 11 & 14, T10 N. R1 E.

28.50 a stream 8 lks. wide W. S. W.

40.00 let temp. of. Sec. post

80.80 Intersected the N & S. line at the post

Broken 3^d rate land, W. Oak, B. Oak, Beech,
 Hickory &c. underth Dogwood, B. Hickory, Shrub-
 Oak, Ironwood, Buckleberry &c

West On true line between Sec. 11 & 14, T10 N. R1 E.

20.47 a W. Oak 18 in. dia. bears out true line

40.40 let of. Sec. post at ar. dist. on true line, from which

a Dogwood 3 in. dia. bears S32^W 14^W 1/4 m. dist. of

a W. Oak 30 " " " S44^W 28 " "

57.00 a Hickory 14 " " on true line

71.00 a W. Oak 19 " " on true line

80.80 to Section Corner.

North Between Sec. 10 & 11, T10 N. R1 E 2^d Mer.

7.00 a Brook 10 lks. wide W. S. W.

23.90 a B. Gum 12 in. dia. bears

40.00 let the of. Sec. post, from which

a B. Oak 24 in. dia. bears N65^E 8^W 1/4 m. dist. of

a Dogwood 4 " " " S75^W 12 " "

58.84 a Beech 30 " "

80.00 let a post Cor. to Sec. 2, 3, 10 & 11, from which

a Angstrom 3 in. dia. bears S57^E 10^W 1/4 m. dist. of

an Elm 4 " " " S40^W 35 " "

Broken 3^d rate land, B. W. Oak Hickory, Poplar &c

T10 N. R1 E. T². Mer. Indiana

Poplar &c. undgth, Dogw[?], Ironw[?], hick^y, Spruce &c.

East On Random between Sect. 26 N, T10 N, R1 E.

5.20 a Brook 10 lbs. wide C. S. N

40.00 Set of Sec. post

70.84 a Brook 10 lbs. wide C. S. N. W.

80.94 Intersected the N. of S. line 25 lbs. S. of the post.
Sand timber &c. Same as on the last mile

West On true line between Sect. 26 N, T10 N, R1 E

15.75 a Chestnut Oak 24 in. dia. on true line

40.47 Set of Sec. post at adj. dist. on true line from which
a Beech 14 in. dia. bears S 32 W 18 lbs. dist. of
a do 10 " " " N 72 E 27 " "

62.25 a Hickory 15 " " on true line

80.94 to Sec. Corner.

North Between Sect. 26 & 3, T10 N, R1 E, T². Mer.

22.68 a W. Oak 30 in. dia.

40.00 Set of Sec. post, from which
a Spr. Oak 30 in. dia. bears N 42 E 32 lbs. dist. of
a Poplar 2 " " " S 45 W 20 " "

45.20 a Brook 8 lbs. wide C. S. N. E.

49.00 a Brook 10 " " " N. E.

60.37 a Walnut 16 in. dia.

74.50 a Stream 10 lbs. wide C. S. E. N. E.

84.00 Intersected the N. boundary 10 lbs. N. of post. of
Set a post Cor. to Sect. 26 & 3, from which
a Beech 4 in. dia. bears S 58 E 24 lbs. dist. of
a do 3 " " " S 30 W 34 " "

Proven 3rd rate land, W & N. Oak, Beech, Hickory, Spr.
Oak, Poplar, Walnut, Elm, &c. undgth. Sassafras, hick^y.
Birch, Spruce &c. Aug. 29th 1819.

T10 N R1 E 2ⁿ. Mer. Indiana

North Between Secs. 33 & 34, T10 N. R1 E 2ⁿ. Mer.

19.85 a Beech 16 in. dia. in the line

40.00 At the q. Sec. post, from which
a Dogwood 4 in. dia. bears N10 W 7 lks. dist. &
an Hornwood 3 " " " S43 E 22 " "

45.00 enter a windfall

63.00 an Elm stump 30 in. dia.

67.00 leave the windfall

80.00 At a post Cor. to Secs. 27, 28, 33 & 34, from which
a Beech 6 in. dia. bears N50 E 14 lks. dist. &
a Hornbeam 4 " " " N79 W 12 " "

First 60.00 Broken 3^d rate land 20.00 level 2^d rate
land, Beech, N & B. Oak, Elm, Sugar tree &c. undgth.
Sassafras, Spice, birch &c.

East On Random between Secs. 27 & 34, T10 N. R1 E.

7.50 a stream 65 lks. wide E. N. N.

23.00 Same 65 " " " N. S. W.

40.00 At stump q. Sec. post

46.00 the same stream N. N. W.

78.87 Intersected the N & S. line at the post.

Post level & post broken 2ⁿ & 3^d rate land, Beech
Sugar, Hick. ash, Sycamore &c. undgth. Ironw^d. Dog-
wood, Spice birch &c.

West On true line between Secs. 27 & 34, T10 N. R1 E.

17.59 a Hickory 18 in. dia. on true line

39.43 At q. Sec. post at an q. dist. on true line from which
a Buckeye 10 in. dia. bears S34 E 7 lks. dist. &
a Hornbeam 4 " " " N61 W 13 " "

57.75 a Hickory 17 " " on true line

78.87 to Sec. Corner.

T10 N. R1 E. 2^d. Mer. Indiana

North Between Secs. 27 & 28, T10 N. R1 E. 2^d. Mer.

- 3.70 a Stream 55 Yds. wide C.S. N.W.
- 22.44 a Maple 18 in. dia. in the line
- 40.00 At the q. Sec. post, from which
a P. Gum 20 in. dia. bears N 29 W 7 Yds. dist. &
a Beech 4 " " " N 64 E 5 " "
- 63.00 a Stream 15 Yds. wide C.S. N.S.W.
- 66.05 a Sugar tree 21 in. dia. in the line
- 80.00 At a post Cor. to Secs. 21, 22, 27 & 28, from which
a Beech 4 in. dia. bears N 67 W 23 Yds. dist. &
a P. Oak 4 " " " S 53 E 8 " " Level
3^d rate land, Beech, ash, Maple, Sugar tree & P. Oak
fe. underg. ^{the} Spruce, Hazel, Pines &c.

East On Random between Secs. 26 & 27, T10 N. R1 E.

- 30.15 a Stream 15 Yds. wide C.S. N.W.
- 40.00 At turnpt. of Sec. post
- 78.78 Intersected the N & S line 35 Yds. N. of the post
Part level of post broken 2^d & 3^d rate land, Beech, ash,
Sugar, P. Oak, Hickory &c. underg. ^{the} Spruce & Hologw?
Hickory, Snow? Pines &c.

West On true line between Secs. 22 & 27, T10 N. R1 E.

- 20.33 a Sugar tree 14 in. dia. on true line
- 39.39 At q. Sec. post at adj. dist. on true line, from which
a Maple 6 in. dia. bears N 8 E 13 Yds. dist. &
a Hickory 16 " " " S 72 W 16 " "
- 59.48 a Beech 22 " " on true line
- 78.78 to Sec. Corner.

North Between Secs. 21 & 22, T10 N. R1 E. 2^d. Mer.

- 19.93 a Beech 19 in. dia. on the line
- 40.00 At the q. Sec. post, from which

T10 N. R1 E. 2^d. Mer. Indiana

- a Beech 7 mi. dist. bears N41 E 17 lks. dist of
 a Maple 14 " " " S68 W 16 " "
 58.74 a W. Oak 12 " "
 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 8 mi. dist. bears N50 E 10 lks. dist of
 a Sugar 12 " " " S43 W 11 " "
 Broken 3^d rate, W. O. Oak, Sp. Oak, Beech, Hickory &c
 undergth Iron^o, Dogw^o, Birch &c. Dec. 16th 1819

- East On Kandour between Sec. 15 & 22, T10 N. R1 E
 40.00 At temp^y of Sec. post
 78.80 Intersected the N & S. line 27 lks. N. of the post
 Broken 3^d rate, land Beech, Sugar, N & S. Oak, Hickory
 undergth Spruce, Dogw^o, Iron^o, Birch &c.

- West on true line between Sec. 15 & 22, T10 N. R1 E.
 21.72 an Ash 22 mi. dist. on true line
 39.40 Set of Sec. post at adj. dist. on true line, from which
 a Sugar tree 8 mi. dist. bears S48 E 21 lks. dist of
 a Do 7 " " " S14 W 27 " "
 56.00 a Sugar tree 19 " "
 78.80 Section Corner.

- North Between Sec. 15 & 16, T10 N. R1 E. 2^d. Mer.
 25.05 a Chestnut Oak 19 mi. dist.
 40.00 At the of Sec. post, from which
 a Hickory 12 mi. dist. bears N70 E 25 lks. dist of
 a Do 14 " " " S74 W 19 " "
 61.35 a Chestnut Oak 16 mi. dist.
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
 a Beech 22 mi. dist. bears N60 W 18 lks. dist of
 a Maple 24 " " " S82 E 41 " "
 Broken 3^d & 4th rate land, Chest. Oak, Sp. Oak, W. O. O.

T10 N. R1 E. 2^d. Mer. IndianaOak, Beech, &c. underth Huckleberry, Dogw^d, Ironw^d &c.

East On Random between Sec. 10 & 15 T10 N. R1 E
 31.64 a Brook 8th wide W. S. E.
 40.00 Set temp^l. of Sec. post
 78.71 Intersected the N & S. line 20th N. of the post
 Broken 4th rate land, W. Oak, P. Oak, Hickory, Chestnut
 Oak & underth Huckleberry, Hick^y. Ironw^d &c.

West On true line between Sec. 10 & 15, T10 N. R1 E.
 13.10 a Beech 16 in. dia. on true line
 39.35 Set of Sec. post at av^g. dist. on true line from which
 a P. Gum — in. dia. bears N52 W 18th dia. of
 a W. Oak 5 " " " S 1 E 5 " "
 57.37 a P. Gum 18 " "
 78.71 to Sec. corner.

North Between Sec. 9 & 10, T10 N. R1 E. 2^d. Mer.

21.05 a Chestnut Oak 18 in. dia.
 40.00 Set the of Sec. post, from which
 a Poplar 12 in. dia. bears N61 W 16th dia. of
 a Dogwood 4 " " " N64 E 18 " "
 62.54 a Poplar 28 " "
 80.00 Set a post Cor. to Sec. 3, 4, 9, 10, from which
 a Beech 14 in. dia. bears N48 E 6th dia. of
 a Do 12 " " " N60 W 34 " "
 Broken 3^d rate land, W. Oak, Beech, Poplar,
 Hickory &c. underth Sassafras & Pring

East On Random betwⁿ. Sec. 3 & 10, T10 N. R1 E.

40.00 Set temp^l. of Sec. post
 78.68 Intersected the N & S. line 12th Mer. S. of the post
 Broken 3^d rate land W. Oak, Hickory, Ash

T10 N. R1 E. 2^d. Mer. Indiana

Chesnut Oak &c. undergth. Ironw^d. Dogw^d. Hickory
Huckleberry &c.

West On true line between Sec. 3 & 10, T10 N. R1 E
22.56 a B. Oak 16 in. dia. on the line
39.34 Let the g. Sec. post at av. dist. on true line from which
a Dogwood 3 in. dia. bears N56 W 11 lks. dist. of
a Beech 30 " " " S20 E 15 " "
58.58 an Ash 18 " " on true line
78.68 to Sec. cor.

North Between Sec. 3 & 4, T10 N. R1 E. 2^d. Mer.
24.85 a Hickory 14 in. dia. in the line
40.00 Let the g. Sec. post, from which
a Sp. Oak 46 in. dia. bears N65 E 10 lks. dist. of
a Dogwood 6 " " " S36 W 21 " "
57.92 a Hickory 8 " "
84.63 Intersected the N boundary 170 lks. E. of the post
Let a post Cor. to Sec. 3 & 4, from which
a Beech 23 in. dia. bears S55 E 19 lks. dist. of
a Dogw^d. 6 " " " S20 W 25 " "
Broken 3^d rate land, W of B. Oak, undergth. Ironw^d. Dog-
wood, briars &c. Dec. 17th. 1819.

North Between Sec. 32 & 33, T10 N. R1 E.
19.58 a Hickory 24 in. dia.
23.00 enter a windfall
40.00 Let the g. Sec. post, from which
a B. Gum ^{Stump} 20 in. dia. bears N70 W 37 lks. dist. of
a Beech 6 " " " N30 E 43 " "
53.50 leave the windfall
57.43 a Sugar 34 in. dia.
80.00 Let a post Cor. to Sec. 29, 28, 32 & 33

T10 N. R1 E. 2^d. Mer. Indiana

a Beech 16 in. dia. bears N 8 E 18 lbs. dist. of
a Poplar 13 " " " N 28 W 17 " "
Broken 2^d & 3^d rate land, Beech, Poplar, Angustree
W. Oak, Hickory &c. undgth Prins, grape vines & asar-
fus, Hickory &c.

East On Randm. betwⁿ Sec. 28 & 33, T10 N. R1 E.

40.00 Set temp^y. of Sec. post

74.50 a Brook 12 lbs. wide Cr. of W.

80.14 Intersected the N & S. line 5 lbs. N. of the post.
post level 2^d rate of post Broken 3^d rate land, W & S.
Oak, Sp. Oak, Ash, Elm, &c. undgth Tassafug, Hickory
vines, Prins &c.

West On true line between Sec. 28 & 33, T10 N. R1 E.

22.99 a Beech 18 in. dia. on true line

40.09 Set of Sec. post at av^g. dist. on true line, from which

a W. Oak 18 in. dia. bears N 71 W 21 lbs. dist. of

a Do 17 " " " S 9 E 19 " "

58.24 a Hickory 16 " " on true line

80.14 to Sec. Cor.

North Between Sec. 28 & 29, T10 N. R1 E, 2^d. Mer.

20.94 a Sp. Oak 10 in. dia.

40.00 Set the of Sec. post, from which

a Beech 17 in. dia. bears S 53 W 28 lbs. dist. of

a Poplar 24 " " " N 17 E 29 " "

57.82 a Anger 14 " "

60.00 a Brook 8 lbs. wide Cr. of W. of W.

80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which

a Beech 22 in. dia. bears N 39 W 22 lbs. dist. of

a Do 23 " " " S 88 W 18 " "

Broken 2^d rate land Beech, W & Sp. Oak, Hickory

T10 N. R1 E. 2^d. Mer. Indiana

Poplar, Sugar, &c. undgth. Sassafras, Hickory & oak &
Birch.

East Outbound between 21 & 28, T10 N. R1 E.

- 29.50 a stream 75 hrs. wide course N. N. W.
40.00 at top of Sec. post
55.25 a stream 20 hrs. wide S. W.
61.56 same 20 " " C. S. N. N. W.
79.92 intersected the N. & S. line 20 hrs. S. of the post
Part level & part broken 2^d & 3^d rate land, W. Oak,
Beech, Sugar, Ash, Elm, Poplar &c. undgth. Ash, Spruce.

West Out true line between Sec. 21 & 28, T10 N. R1 E

- 22.57 a Beech 22 in. diam. in true line
39.96 set of Sec. post at cor. dist. on true line, from which
a Beech 20 in. diam. bears S 77° W 13 hrs. dist. &
a Sugar 12 " " " N 3 E 35 " "
52.42 a Beech 18 " " on true line
79.92 to Sec. Corner.

North Between Sec. 20 & 21, T10 N. R1 E. 2^d. Mer.

- 14.50 a stream 75 hrs. wide C. S. N. W.
22.48 a Beech 20 in. diam.
40.00 at the top of Sec. post, from which
a Hickory 8 in. diam. bears N 79 E 18 hrs. dist. &
a Do 4 " " " S 73° W 10 " "
59.53 a W. Oak 14 " "
70.00 a Brook 10 hrs. wide course S. S. E.
80.00 set a post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 6 in. diam. bears S 54° W 10 hrs. dist. &
a Hornbeam 5 " " " N 53 E 24 " "
Part level & part broken 2^d & 3^d rate land, Beech, W. Oak,
Hickory, Elm, Ash &c. undgth. Irons? Logans? birch &c.

T10 N. R1 E. 2nd. Mer. Indiana

East On Random betwⁿ Sec. 16 & 21, T10 N. R1 E.
 40.00 At temp^y of Sec. post
 79.50 a Brook 7 hrs. wide E. S. E.
 80.08 Intersected the N & S. line 22 hrs. S. of the post
 Broken 3rd rate land, W. Oak, Sp. Oak, Hickory &c. undgth.
 Dogw^o. Ironw^o. Buiry &c.

West On true line between Sec. 16 & 21, T10 N. R1 E
 21.24 a Chestnut Oak 20 in dia. on true line
 40.04 At the of. Sec. post at av^y dist. on true line, from which
 a Beech 10 in dia. bears N 24 E 10 hrs. dist of
 a B. Gum 17 " " " S 2 E 22 " "
 66.43 a W. Oak 30 " " on true line
 80.08 to Sec. Cor. Dec. 17th. 1819

North Between Sec. 16 & 17, T10 N. R1 E. 2nd. Mer
 25.06 a W. Oak 30 in dia.
 40.00 At the of. Sec. post, from which
 a Maple 6 in dia. bears N 60 E 10 hrs. dist. of
 a Beech 19 " " " S 40 W 19 " "
 61.27 a Sp. Oak 16 " "
 80.00 At a post Cor. to Sec. 8, 9, 16 & 17, from which
 a W. Oak 14 in dia. bears S 59 E 7 hrs. dist. of
 a Ch^t. Oak 4 " " " S 43 W 27 " "
 Broken 3rd rate land W. Oak, B. Oak, Sp. of Chestnut
 Oak, Beech &c. undgth. Huckleberry, briar &c.

East On Random betwⁿ 9 & 16, T10 N. R10 E. 2nd. Mer
 40.00 At temp^y of. Sec. post
 80.00 Intersected the N & S. line 26 hrs. S. of the post
 Land timber &c. Same as on the last mile

West On true line between Sec. 9 & 16, T10 N. R1 E.

T10 N. R1 E. 2^d. Mer. Indiana

- 22.72 a Hickory 18 in dia. on true line
 40.00 Set of Sec. post at S. dist. on true from which
 a Beech 28 in dia. bears S41 E 18 hrs. dist. of
 a Do 5 " " " N18 W 23 " "
 57.08 Chestnut Oak 10 in dia. on true line
 80.00 to Sec. Cor.

North Between Sec. 8 & 9, T10 N. R1 E. 2^d. Mer.

- 20.48 a Chestnut Oak 16 in dia.
 40.00 Set of Sec. post, from which
 a Chestnut Oak 12 in dia. bears N17 E 18 hrs. dist. of
 a Dogwood 5 " " " S68 W 17 " "
 44.80 a Brook 8 hrs. wide E. N. N. W.
 57.78 a W. Oak 22 in dia. bears
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
 a P. Gum 16 in dia. bears N40 E 15 hrs. dist. of
 a Hickory 16 " " " N63 W 24 " "
 Broken 3^d rate land, W. Oak, P. Oak, Chestnut Oak,
 Hickory &c. and gth Buckleberry, Sassafras, Iron? tree &c.

East On Random betwⁿ Sec. 4 & 9, T10 N. R1 E.

- 40.00 Set temp^y of Sec. post
 79.92 Intersected the N & S. line 4 hrs. S. of the post
 Broken 3^d rate land, W. B. of Chestnut Oak, Hickory
 Beech &c. and gth Spice, Sassafras tree &c.

West On true line betwⁿ Sec. 4 & 9, T10 N. R1 E.

- 19.75 a Beech 16 in dia. on true line
 39.96 Set of Sec. post at S. dist. on true line, from which
 a Beech 8 in dia. bears N54 E 21 hrs. dist. of
 an Elm 5 " " " S58 E 25 " "
 56.04 a W. Oak 17 " " on true line
 79.92 to Sec. Cor.

110 N. R1 E. 2^d. Mer. Indiana

North Between Secs. 4 & 5, 110 N. R1 E. 2^d. Mer.

20.73 chest. Oak 38 in. diam.

28.44 a Brook 8 hrs. wide course W. N. W.

40.00 at the q. Sec. post, from which

a Hickory 10 in. diam. bears N 76° W. 25 hrs. dist. &

a Beech 18 " " " S 24° E 31 " "

60.70 a B. Oak 34 " "

84.24 intersected the N. boundary 206 E. of the post &

at a post Cor. to Secs. 4 & 5, from which

a Beech 5 in. diam. bears S 22° W 41 hrs. dist. &

a Dogw^d. 6 " " " S 67° E 28 " "

Broken 3^d rate land, W. C. Oak, Beech, Hickory &c.
undergth. Ironw^d. Dogw^d. briars &c. Dec. 18th. 1819

North Between Secs. 31 & 32, 110 N. R1 E. 2^d. Mer.

17.64 a Beech 18 in. diam.

25.00 a Brook 8 hrs. wide E. S. N. W.

28.00 entire windfall

40.00 at the q. Sec. post from which

a W. Oak 18 in. diam. bears N 42° W. 31 hrs. dist. &

a B. Gum 12 " " " S 11° E 17 " "

61.80 a B. Oak 10 " "

80.00 at a post Cor. to Secs. 29, 30, 31 & 32, from which

a Sp. Oak 4 in. diam. bears S 40° E 8 hrs. dist. &

a W. Oak 23 " " " N 73° W 45 " "

Broken 3^d rate land Sp. W. Oak, Beech, Hickory, ash &c.
undergth. Sassafras, Oak, hick. Birch, vines &c.

East On Random betwⁿ. Secs. 29 & 32, 110 N. R1 E.

40.00 at temp^y. q. Sec. post

80.10 intersected the N. & S. line 35 hrs. S. of the post

Broken 3^d rate land, W. Sp. Oak, Beech, hick. ash &c.
undergth. Sassafras, Hickory, Ironw^d. vines &c.

T10 N. R1 E. 2^d. Mer. Indiana

West On true line between Sec. 29 & 32, T10 N. R1 E.
 21.48 a Michony 20 m. dist. on true line,
 40.05 Set of Sec. post at cor. dist. on true line from which
 a Sp. Oak 10 m. dist. bears N11 W 8 lks. dist. of
 a Michony 14 " " " S63 E 15 " "
 65.06 a W. Oak 22 " " on true line
 80.10 to Sec. Corner.

West Between Sec. 30 & 31, T10 N. R1 E. 2^d. Mer.
 19.54 a W. Oak 36 m. dist.
 35.40 enter a Pond or Glade
 39.50 Intersected the 2^d. Mer. 108 lks. N. of the post of
 Set a post Cor. to Sec. 30 & 31, from which
 a Maple 6 m. dist. bears N55 E 10 lks. dist. of
 an Elm 5 " " " S12 W 18 " "
 Post level, part broken 3^d. rate land, W. Oak, Ash, beech,
 undugth. ash, Michy, Sassafras, Spice &c.

North Between Sec. 29 & 30, T10 N. R1 E. 2^d. Mer.
 22.61 a Sugar tree 18 m. dist.
 40.00 Set the of Sec. post, from which
 a Beech 5 m. dist. bears N23 E 17 lks. dist. of
 a B. Oak 17 " " " S48 W 9 " "
 57.53 a Beech 28 " "
 67.73 a Stream 75 lks. wide C. W. S. W.
 77.56 a Brook 8 " " " S. S. W.
 80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
 a Beech 13 m. dist. bears N27 W 51 lks. dist. of
 a Hornbeam 12 " " " S60 E 30 " "
 First 60.00 broken, Balance level 2^d & 3^d. rate land
 W. Oak, Beech, Elm, undugth. Dogwood, Ironwood, Spice
 Birch &c.

110 N. R1 E. 2^d Mer. Indiana

East On Random between Sec. 20 & 29, 110 N. R1 E.

27.42 cut N. bank of stream 75 lbs. wide W.S.W.

40.00 Set temp. of Sec. post.

53.40 a stream 75 lbs. wide E.S.W.

79.96 Intersected the N & S. line 23 lbs. S. of the post
Part level of part broken 2^d & 3^d rate land Sugar, ash,
Elm, Sycamore &c. undergth. Spruce, ash &c. Dec. 21. 1899.

West On true line between Sec. 20 & 29, 110 N. R1 E.

24.60 an Elm 17 in. dia. on true line

39.98 Set of Sec. post on true line at av. 9. dist. from which
an Elm 23 in. dia. bears S 45 E 21 lbs. dist. of
a Beech 3 " " " N 50 W 15 " "

59.62 a Beech 14 " " on true line

79.96 to Sec. Cor.

West Between Sec. 19 & 30, 110 N. R1 E 2^d Mer.

22.44 a Beech 17 in. dia.

30.00 a Brook 10 lbs. wide South

39.65 Intersected the 2^d Mer. 137 lbs. N. of the post of
Set a post Cor. to Sec. 19 & 30 from which
a Dogw^d. 6 in. dia. bears N 73 W 18 lbs. dist. of
a Do 7 " " " S 77 E 7 " "
Level with 2^d rate land, Beech, Ash, W. Oak, Elm,
undergth. Ash, Spruce &c.

North Between Sec. 19 & 20, 110 N. R1 E. 2^d Mer.

24.00 a P. Gum 18 in. dia.

40.00 Set the of Sec. post, from which
an Ironw^d. 5 in. dia. bears S 84 W 6 lbs. dist. of
a Beech 6 " " " S 43 E 6 " "

61.94 a Beech 17 " "

80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which

T10 N. R1 E, 2^d Mer. Indiana

a Beech 26 m. dist. bearing S66 W 19 lks. dist. of
 a Do 28 " " " N34 E 28 " "
 Part level of front broken 2^d & 3^d rate land, Beech,
 Ash, W. Oak, P. Gum, Elm, Sugar tree &c. undergth.
 Dogwood, Ironw^d, Spice, Beech, briars &c.

East On Randm. betwⁿ Sec. 17 & 20, T10 N. R1 E.

40.00 Set temp^y. of Sec. post.

71.25 a Brook 10 lks. wide C. S. S. W.

79.93 Intersected the N & S. line, 22 lks. S. of the post.
 Broken 3^d rate land, Beech, Hick^y, W. P. & Sp.
 Oak &c. undergth. Dogw^d, Ironw^d, Sassafras, ash &c.

West On true line between Sec. 17 & 20, T10 N. R1 E.

18.81 a Hickory 17 m. dist. on true line

39.96 Set of Sec. post at ar^y. dist. on true line from which
 a Dogw^d. 4 m. dist. bearing S25 E 5 lks. dist. of
 a Beech 5 " " " N2 W 26 " "

59.13 a Hickory 15 " " on true line

79.93 to Sec. Corner.

West Between Sec. 18 & 19, T10 N. R1 E, 2^d Mer.

22.34 a Beech 16 m. dist.

30.00 a Brook 6 lks. wide C. S.

39.46 Intersected the 2^d Mer. 189 lks. N. of the post of
 Set a post Cor. to Sec. 18 & 19, from which
 a Beech 22 m. dist. bearing N38 E 50 lks. wide
 a Do 19 " " " S1 E 11 " "
 Broken 3^d rate land, Beech, W. P. & Sp. Oak &c
 undergth. Ironwood, Dogw^d & Briars &c

North Between Sec. 17 & 18, T10 N. R1 E, 2^d Mer.

25.34 Sugar tree 12 m. dist. in the line

110 N. P. E. 2nd Mer. Indiana

- 40.00 At the q. Sec. post, from which
 a B. Oak 22 in. dia. bears 189^W 6 lbs. dia. of
 a Dogwood 5 " " " N 21 E 7 " "
- 54.73 a Beech 18 " "
- 80.00 At a post Cor. to Sec. 7, 8, 17 & 18, from which
 an Elm 14 in. dia. bears 115 E 34 lbs. dia. of
 a Beech 34 " " " N 59^W 6 " "
 Broken 2nd & 3rd rate land Beech, Ash, Sugar tree
 Hickory, B. W. Oak &c. under 1st Spruce, Ash &c.
 Dec. 22nd 1819

East On Random betwⁿ Sec. 8 & 17, 110 N. P. E.

- 40.00 At temp. q. Sec. post
- 79.84 Intersected the N & S. line 12 lbs. S. of the post
 Broken 3rd rate land, W & N. Oak, Beech, Ash,
 Sugar tree, Hickory, Sp. Oak &c. undg. Dogw. Somw?
 Birch &c.

West On true line between Sec. 8 & 17, 110 N. P. E.

- 21.78 a Sp. Oak 17 in. dia. on true line
- 39.92 At q. Sec. post at anj. dia. on true line from which
 a Dogwood 5 in. dia. bears 148^W 11 lbs. dia. of
 a Hickory 10 " " " N 11 E 21 " "
- 62.11 a Poplar 20 " " on true line
- 79.84 to Sec. Corner.

West Between Sec. 7 & 18, 110 N. P. E. 2nd Mer

- 19.46 an Ash 32 in. dia.
- 38.78 Intersected the 2nd Mer. 181 lbs. N. of the post &
 At a post Cor. to Sec. 7 & 18, from which
 a Sugar tree 17 in. dia. bears 139 E 13 lbs. dia. of
 a Poplar 6 " " " N 55 E 54 " "
 Broken 5th rate land, Sugar tree, Ash, Poplar,

T10 N. R1E. 2^d. Mer. Indiana

Hickory, Beech &c. undgth. Spruce, ash &c.

North Between Secs. 7 & 8, T10 N. R1E. 2^d. Mer.

18.94 a Beech 34 m. dist.

40.00 at the q. Sec. post, from which

a Beech 16 m. dist. bearing N45 E 21 lbs. dist. of
an Iron? 3 " " " S43 W 9 " "

61.53 a Hickory 16 " "

80.00 at a post Cor. to Secs. 5, 6, 7 & 8, from which

a W. Oak 18 m. dist. bearing N50 W 14 lbs. dist. of

a Do 19 " " " S59 E 11 " "

Broken 3^d rate land, W. B. Oak, W. Oak, Beech,
Hickory, &c. undgth. Sassafras, Dogwood? Princes &c

East On Range between Secs. 5 & 8, T10 N. R1E.

31.54 a stream 10 lbs. wide E. of N. N.

40.00 at temp. q. Sec. post.

79.90 intersected the N. & S. line 6 lbs. N. of the post

Broken 3^d rate land, W. Oak, Beech, Hickory
&c. undgth. Sassafras, Hickory, Princes, Dec 23, 1819

West On true line between Secs. 5 & 8, T10 N. R1E.

19.73 a W. Oak 19 m. dist. on the true line

39.95 at q. Sec. post on true line at a q. dist. from which

an Ash 6 m. dist. bearing N63 W 18 lbs. dist. of

a Beech 23 " " " S15 E 28 " "

63.18 a Beech 16 " " on true line

79.90 to Sec. Cor.

West Between Secs. 6 & 7, T10 N. R1E 2^d. Mer.

17.78 a W. Oak 33 m. dist.

38.64 intersected the 2^d. Mer. 156 lbs. N. of the post
at a post Cor. to Secs. 6 & 7, T10 N. R1E from which

T10 N. R1 E. 2nd. Mer. Indiana

a Beech 19 mi. dist. bears N41 E 11 lbs. dist of
a Do 14 " " " N79 E 26 " "
Broken 3rd rate land W. Oak, P. Oak, Beech, Hickory
for undergth Poplar, Sassafras, Buckeberry briar &c.

North Between Sec. 5 & 6, T10 N. R1 E. 2nd. Mer.

- 24.09 a W. Oak 21 mi. dist.
- 39.99 a stream 15 lbs. wide C.S. N.W.
- 40.00 At the q. Sec post, from which
a Sycamore 14 mi. dist. bears N74 W 42 lbs. dist of
a Poplar 10 " " " N83 E 5 " "
- 58.97 a W. Oak 15 " "
- 84.08 Intersected the N. boundary 260 lbs. E. of post
set a post Cor. to Sec. 5 & 6, from which
a Beech 10¹/₂ mi. dist. bears N25 W 43 lbs. dist of
a Do 12 " " " N23 E 32 " "
Broken 2nd & 3rd rate land, W. Oak, Beech,
Hickory &c. undgth Iron? Dogwood? briar &c.

Dec. 24th. 1819.

Surveyed by Thomas Brown, Dep. Sur.

I certify that the foregoing transcript of field notes of
Township N. 10 N. Range N. 1 E. of 2nd. Mer. Indiana
has been Comp^d. with the original notes in this office
and found to be correct.

Surveyor General's Office
Cincinnati, Dec. 21st. 1840

E. S. Cairns

Sur. Genl.